

United Townships of Head, Clara & Maria Council

Request for Decision

Type of Decision									
Meeting Date	Tuesday, June 21, 2022				Report Date	Wednesday, June 15, 2022			
Decision Required	X	Yes		No	Priority		High	X	Low
Direction	X	Information Only			Type of Meeting	X	Open		Closed
Report #22/06/21/1302 – PWAG Recommendations									

Subject: Public Works Advisory Group Recommendations

Recommendation: That Council consider the recommendations presented by the Public Works Advisory Group.

Resolution:

Resolution No.: 22/06/21/006

Moved by Councillor _____ and seconded by Councillor _____

WHEREAS Council received Report 22/06/21/1302 with recommendations provided by the Public Works Advisory Group;

THEREFORE BE IT RESOLVED THAT Council of the United Townships of Head, Clara and Maria does hereby direct staff to request that:

The Ministry of Transportation install a Pine Valley Road sign on the south side of the highway, and That the Ministry of Transportation grant permission to the municipality in completing tree removal on the Ministry of Transportation’s property located at the Mackey Boat Launch.

Background/Executive Summary:

The Public Works Advisory Group met on June 14th and have provided the following recommendations to Council:

- 1) Strongly recommends reconsideration of the closure of Dunlop Crescent based on the cost; could be in excess of \$100,000.
- 2) Request that the Ministry of Transportation installs a Pine Valley Road sign on the south side of the highway, for east bound traffic.
- 3) Request permission from Ministry of Transportation to have the municipality undertake tree removal on their property located at the Mackey Boat Launch. (The Public Works Leader advised that The Ministry of Transportation has completed their tree removal services at the Mackey Boat Launch, however it was minimal).
- 4) Recommendation to not leave BBQs down at Old Mackey Park for extended periods of time due to risk of fire, theft and injury.

Financial Considerations/Budget Impact:

None at this time.

Enclosures:

None

<p>Approved and Recommended by the Clerk</p> <p>Crystal Fischer, Clerk/Treasurer</p>
--